



Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09/01/2011

Revision date: 04/05/2017

Supersedes: 09/22/2015

Version: 3.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Process2Clean® 1
Product code : SDS VEL-013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Alkaline detergent
Restrictions on use : For professional use only

1.3. Details of the supplier of the safety data sheet

Veltek Associates, Inc.
15 Lee Blvd
Malvern, PA 19355-1234 USA
T +1 610-644-8335 - F +1 610-644-8336
vai@sterile.com

In Canada Distributed by:
CCR
200 Terence Matthews
Kanata, ONT K2M 2C6
Telephone: 613-591-0044

1.4. Emergency telephone number

Emergency number : CARECHEM 24 call: 1-866-928-0789

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation Category 1A H314
Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger
Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS-US) : P260 - Do not breathe vapors
P264 - Wash hands thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P363 - Wash contaminated clothing before reuse
P405 - Store locked up

2.3. Other hazards

No additional information available

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Potassium hydroxide	(CAS No) 1310-58-3	10 - 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Tetrasodium ethylene diamine tetraacetate	(CAS No) 64-02-8	5 - 15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Obtain medical attention.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Do not give an unconscious person anything to drink. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Causes burns.
- Symptoms/injuries after eye contact : Corrosive to eyes.
- Symptoms/injuries after ingestion : Corrosive.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Stable under normal conditions.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Avoid contact with skin and eyes. Equip cleanup crew with proper protection. Use chemically protective clothing. Wear suitable protective clothing and eye or face protection. Avoid breathing vapor.
- Emergency procedures : Ensure adequate ventilation. Avoid contact with skin and eyes.

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Large spills: Dike far ahead of liquid spill for later disposal. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Wash spill area with soapy water.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin, eyes and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible materials.

Incompatible products : Strong acids. Sources of ignition. Direct sunlight. Aluminum.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr

8.2. Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Safety glasses. Face-shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazard protection : Not required for normal conditions of use.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear.

Color : Colorless

Odor : Slight odor

Odor threshold : No data available

pH : 11.8 - 13.8

Melting point : No data available

Freezing point : -30 °F

Boiling point : 212 °F

Flash point : Not flammable

Relative evaporation rate (butyl acetate=1) : No data available

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.20 - 1.40 (H ₂ O = 1)
Solubility	: Miscible with water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Freezing.

10.5. Incompatible materials

Acids. Oxidizing agents. Metals.

10.6. Hazardous decomposition products

Potassium oxides. Sodium oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Process2Clean® 1	
LD50 oral rat	> 2000 mg/kg
Potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg
Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral rat	1780 g/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 11.8 - 13.8

Serious eye damage/irritation : Not classified

pH: 11.8 - 13.8

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Causes burns.
Symptoms/injuries after eye contact	: Corrosive to eyes.
Symptoms/injuries after ingestion	: Corrosive.

SECTION 12: Ecological information

12.1. Toxicity

Potassium hydroxide (1310-58-3)	
LC50 fish	80 mg/l 24 Hours - Gambusia affinis (Mosquito fish)
Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish	486 mg/l 96 Hours

12.2. Persistence and degradability

Process2Clean® 1	
Persistence and degradability	No data available.

12.3. Bioaccumulative potential

Process2Clean® 1	
Bioaccumulative potential	No data available.

12.4. Mobility in soil

Process2Clean® 1	
Ecology - soil	No data available.

12.5. Other adverse effects

Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT	
Transport document description	: UN1814 Potassium hydroxide, solution, 8, II
UN-No.(DOT)	: UN1814
Proper Shipping Name (DOT)	: Potassium hydroxide, solution
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102) : IB3, T4, TP1
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
DOT Vessel Stowage Location : A
DOT Vessel Stowage Other : 52
Other information : No supplementary information available.

TDG

Transport document description : UN1814 POTASSIUM HYDROXIDE, SOLUTION, 8, II
UN-No. (TDG) : UN1814
Proper Shipping Name (TDG) : POTASSIUM HYDROXIDE, SOLUTION
TDG Primary Hazard Classes : 8 - Class 8 - Corrosives
Packing group : II - Medium Danger

Transport by sea

UN-No. (IMDG) : 1814
Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION
Class (IMDG) : 8 - Corrosive substances
Packing group (IMDG) : II - Substances presenting medium danger

Air transport

UN-No. (IATA) : 1814
Proper Shipping Name (IATA) : Potassium hydroxide solution
Class (IATA) : 8 - Corrosives
Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Process2Clean® 1

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
-------------------------------------	---------------------------------

Potassium hydroxide (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ	1000 lb
-----------	---------

Tetrasodium ethylene diamine tetraacetate (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Process2Clean® 1

WHMIS Classification	Class E - Corrosive Material
----------------------	------------------------------

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Process2Clean® 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium hydroxide (1310-58-3)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List


SECTION 16: Other information

Revision date : 04/05/2017
Data sources : US OSHA HazCom (GHS) 25 May 2012.
Other information : None.

Full text of H-phrases:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard : 0 - Materials that will not burn.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability : 0 Minimal Hazard - Materials that will not burn
Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.