

**Process2Clean® 6 (Dilutions < 10%)****Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/23/2020

Version: 1.0

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
 Product name : Process2Clean® 6 (Dilutions < 10%)  
 Product code : SDS-VEL-150

**1.2. Recommended use and restrictions on use**

Use of the substance/mixture : Process cleaner detergent  
 Product for industrial use only

**1.3. Supplier**

Veltek Associates, Inc.  
 15 Lee Blvd  
 Malvern, PA 19355-1234 USA  
 Telephone: +1 610-644-8335 - Fax: +1 610-644-8336  
 E-mail: vai@sterile.com

In Canada distributed by:  
 Canada Clean Room (CCR)  
 20 Cope Dr.  
 Kanata, ON K2M 2V8, Canada  
 Telephone: (888)595-8070

**1.4. Emergency telephone number**

Emergency number : CARECHEM 24: 1-215-207-0061  
 1-866-928-0789 (toll free)  
 Canada: 1-800-579-7421 (toll free)  
 Mexico: +52-55-5004-8763

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

Skin corrosion/irritation Category 2	H315 Causes skin irritation
Serious eye damage/eye irritation Category 2	H319 Causes serious eye irritation
Hazardous to the aquatic environment - Acute Hazard Category 2	H401 Toxic to aquatic life
Hazardous to the aquatic environment - Chronic Hazard Category 3	H412 Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) :

: Warning

Hazard statements (GHS US) :

: H315 - Causes skin irritation  
 H319 - Causes serious eye irritation  
 H401 - Toxic to aquatic life  
 H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) :

: P264 - Wash hands thoroughly after handling.  
 P273 - Avoid release to the environment.  
 P280 - Wear eye protection, protective clothing, protective gloves.  
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332+P313 - If skin irritation occurs: Get medical advice/attention.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container to an authorized waste collection point.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Potassium hydroxide	(CAS-No.) 1310-58-3	< 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium hypochlorite	(CAS-No.) 7681-52-9	< 0.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Do not give an unconscious person anything to drink. Rinse mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.

### 4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Causes serious eye irritation. Causes skin irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate area. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors. Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. See Section 8.

Emergency procedures : Ventilate area. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors.

#### 6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Dam up the liquid spill.

Methods for cleaning up : Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Store away from other materials. Wash spill area with soapy water.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Protect from freezing. Keep out of direct sunlight.

Incompatible materials : Acids. Metals. Strong alkalis. Organic materials.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Potassium hydroxide (1310-58-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Potassium hydroxide
ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Remark (ACGIH)	URT, eye, & skin irr
Regulatory reference	ACGIH 2020

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide good ventilation in process area to prevent formation of vapor. Ensure exposure is below occupational exposure limits (where available). Local exhaust ventilation (LEV) may be required to control inhalation exposure. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

##### Eye protection:

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chemical goggles or safety glasses

### Skin and body protection:

Long-sleeved protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Thermal hazard protection:

Not required for normal conditions of use.

### Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Straw yellow
Odor	: Chlorine
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: 32 °F (0 °C)
Boiling point	: 212 °F (100 °C)
Flash point	: Not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: Miscible
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

May produce small amounts of chlorine gas if mixed with incompatible materials.

### 10.4. Conditions to avoid

Freezing.

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Acids. Metals. Strong alkalis. Organic materials.

### 10.6. Hazardous decomposition products

May produce small amounts of chlorine gas if mixed with incompatible materials.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

LD50 oral, rat	> 2000 mg/kg
----------------	--------------

#### Potassium hydroxide (1310-58-3)

LD50 oral, rat	333 mg/kg (OECD 425 method)
----------------	-----------------------------

#### Sodium hypochlorite (7681-52-9)

LD50 oral, rat	8830 mg/kg (12.5% Aqueous solution)
LD50 dermal, rabbit	> 20000 mg/kg (12.5% Aqueous solution)

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
  
Reproductive toxicity : Not classified  
  
STOT-single exposure : Not classified

#### Sodium hypochlorite (7681-52-9)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

Potential Adverse human health effects and symptoms : Causes serious eye irritation. Causes skin irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### Potassium hydroxide (1310-58-3)

LC50 fish	56 mg/l - 24 Hours (Gambusia affinis)
-----------	---------------------------------------

#### Sodium hypochlorite (7681-52-9)

LC50 fish	0.06 mg/l - 96 Hours (freshwater fish)
EC50 Daphnia	0.141 mg/l - 48 Hours (Daphnia magna)
LC50 fish 2	0.032 mg/l - 96 Hours (marine water fish)
NOEC chronic fish	0.04 mg/l - 28 days (Menidia peninsulae)
NOEC chronic crustacea	0.007 mg/l - 15 days (estimated)

### 12.2. Persistence and degradability

#### Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

Persistence and degradability	No data available.
-------------------------------	--------------------

#### Potassium hydroxide (1310-58-3)

Persistence and degradability	Not relevant for inorganic substances.
-------------------------------	--

# Process2Clean® 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hypochlorite (7681-52-9)	
Persistence and degradability	Not relevant for inorganic substances.

### 12.3. Bioaccumulative potential

Process2Clean® 6 (Dilutions < 10%)	
Bioaccumulative potential	No data available.
Potassium hydroxide (1310-58-3)	
Bioaccumulative potential	Low bioaccumulation potential.
Sodium hypochlorite (7681-52-9)	
Log Pow	-3.42 (20 °C, pH 12.5, Quantitative structure-activity relationship (QSAR))

### 12.4. Mobility in soil

Process2Clean® 6 (Dilutions < 10%)	
Ecology - soil	Miscible with water.
Potassium hydroxide (1310-58-3)	
Mobility in soil	Not expected to adsorb to soil
Sodium hypochlorite (7681-52-9)	
Ecology - soil	Miscible with water.

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Additional information : Handle empty containers with care.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Other information : Not regulated.

Special transport precautions : DO NOT TRANSPORT - This dilution of product is an on-site dilution in water by the user according to product label directions. It is not supplied nor transported in commerce at this dilution. For transport and hazards of the undiluted product concentrate before mixing, see SDS #VEL-022.

### Transportation of Dangerous Goods

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Process2Clean® 6 (Dilutions < 10%)	
SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Potassium hydroxide (1310-58-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb
<b>Sodium hypochlorite (7681-52-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	100 lb

### 15.2. International regulations

#### CANADA

<b>Potassium hydroxide (1310-58-3)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Sodium hypochlorite (7681-52-9)</b>	
Listed on the Canadian DSL (Domestic Substances List)	

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

Component	State or local regulations
Potassium hydroxide(1310-58-3)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Sodium hypochlorite(7681-52-9)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Full text of H-phrases:

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms:

# Process2Clean<sup>®</sup> 6 (Dilutions < 10%)

## Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ACGIH (American Conference of Government Industrial Hygienists)
	CAS (Chemical Abstracts Service) number
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	LOAEC (Lowest Observed Adverse Effect Concentration)
	OECD (Organisation for Economic Co-operation and Development)
	OSHA (Occupational Safety and Health Administration) (US)
	NOAEL (No Observed Adverse Effect Level)
	NOEC (No Observed Effect Concentration)
	TSCA (Toxic Substances Control Act) (US)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

### SDS US (GHS HazCom 2012)

*Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.*

*This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.*