

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 3.2

VELTEK ASSOCIATES, INC. Issue date: 05/09/2016 Revision date: 10/05/2020 Supersedes: 06/25/2019

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : HYPO-CHLOR® 0.25%

Product code : SDS VEL-127

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Disinfectant/Cleaning agent

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR)

20 Cope Dr.

Kanata, ON K2M 2V8, Canada Telephone: (888)595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free) Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Hazardous to the aquatic environment - Acute Hazard Category 2 H401 Toxic to aquatic life

Hazardous to the aquatic environment - Chronic Hazard Category 3 H412 Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard statements (GHS US) : H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hypochlorite	(CAS-No.) 7681-52-9	0.25-0.31	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

10/05/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If

symptoms develop obtain medical attention.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. First-aid measures after eye contact

Continue rinsing. If symptoms develop, obtain medical attention.

: Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious First-aid measures after ingestion person. If symptoms develop, obtain medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: Slight eye irritant upon direct contact. Repeated or prolonged contact may cause skin irritation.

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Not combustible. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate area. Avoid inhalation of vapors. Avoid contact with skin, eyes and clothing. Evacuate

unnecessary personnel.

For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area, Avoid inhalation of vapors, Avoid contact with skin, eves and clothing,

Environmental precautions

Methods for cleaning up

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapor. Avoid inhalation of Precautions for safe handling vapors. Avoid contact with skin, eyes and clothing.

spillage. Store away from other materials.

10/05/2020 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial

hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids. Keep

container closed when not in use.

Incompatible materials : Acids. Water-reactive materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide good ventilation in process area to prevent formation of vapor.

Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

Eye protection:

Not required for normal conditions of use. Wear goggles or safety glasses with side shields if contact with the eyes is possible

Skin and body protection:

Long-sleeved protective clothing

Respiratory protection:

Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless to slightly yellow.
Color : Colorless to slightly yellow

Odor : Chlorine

Odor threshold : No data available

pH : 9 – 10.5

Melting point : Not applicable

Freezing point : No data available

Boiling point : 212 °F (100 °C)

Flash point : Not applicable

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Not applicable.

10/05/2020 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density 1 - 1.07 (Water = 1) Solubility : Water: Miscible Log Pow : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : Not applicable Explosive properties : Not applicable. Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Slowly decomposes on contact with air.

10.3. Possibility of hazardous reactions

May produce small amounts of chlorine gas if mixed with incompatible materials.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Acids. Water-reactive materials. Strong cleaning agents.

10.6. Hazardous decomposition products

May produce small amounts of chlorine gas if mixed with incompatible materials.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium hypochlorite (7681-52-9)			
LD50 oral, rat	8830 mg/kg (12.5% Aqueous solution)		
LD50 dermal, rabbit	> 20000 mg/kg (12.5% Aqueous solution)		
Skin corrosion/irritation	: Not classified		
	pH: 9 – 10.5		
Serious eye damage/irritation	: Not classified		
	pH: 9 – 10.5		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		

Sodium hypochlorite (7681-52-9)		
	STOT-single exposure	May cause respiratory irritation.
	STOT-reneated exposure	Not classified

10/05/2020 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: Slight eye irritant upon direct contact. Repeated or prolonged contact may cause skin irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Sodium hypochlorite (7681-52-9)	
LC50 fish	0.06 mg/l - 96 Hours (freshwater fish)
EC50 Daphnia	0.141 mg/l - 48 Hours (Daphnia magna)
LC50 fish 2	0.032 mg/l - 96 Hours (marine water fish)
NOEC chronic fish	0.04 mg/l - 28 days (Menidia peninsulae)
NOEC chronic crustacea	0.007 mg/l - 15 days (estimated)

12.2. Persistence and degradability

Sodium hypochlorite (7681-52-9)	
Persistence and degradability	Not relevant for inorganic substances.

12.3. Bioaccumulative potential

Sodium hypochlorite (7681-52-9)	
Log Pow	-3.42 (20 °C, pH 12.5, Quantitative structure-activity relationship (QSAR))

12.4. Mobility in soil

HYPO-CHLOR® 0.25%	
Ecology - soil Miscible with water.	
Sodium hypochlorite (7681-52-9)	
Ecology - soil	Miscible with water.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

10/05/2020 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

HYPO-CHLOR® 0.25%

This chemical is a pesticide product registered by the United States Environmental Protection Agency (Registration no. 68959-7) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is: WARNING/AVERTISSEMENT/ADVERTENCIA. The pesticide label also includes other important information, including directions for use.

Sodium hypochlorite (7681-52-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 100 lb

15.2. International regulations

CANADA

HYPO-CHLOR® 0.25%

In Canada, this product is a drug product registered with Health Canada. Canada DIN #02360255.

Sodium hypochlorite (7681-52-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium hypochlorite(7681-52-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 10/05/2020

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Full text of H-phrases:

H290	May be corrosive to metals	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Abbreviations and acronyms:

10/05/2020 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACGIH (American Conference of Government Industrial Hygienists) ATE (Acute Toxicity Estimate) CAS (Chemical Abstracts Service) number DNEL (Derived No Effect Level) EC50 (Effective Concentration 50%) IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US)		
CAS (Chemical Abstracts Service) number DNEL (Derived No Effect Level) EC50 (Effective Concentration 50%) IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	ACGIH (American Conference of Government Industrial Hygienists)	
DNEL (Derived No Effect Level) EC50 (Effective Concentration 50%) IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	ATE (Acute Toxicity Estimate)	
EC50 (Effective Concentration 50%) IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	CAS (Chemical Abstracts Service) number	
IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	DNEL (Derived No Effect Level)	
IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	EC50 (Effective Concentration 50%)	
IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	IARC (International Agency for Research on Cancer)	
IMO (International Maritime Organisation) LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	IATA (International Air Transport Association)	
LC50 (Lethal Concentration 50%) LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	IMDG (International Maritime Dangerous Goods Code)	
LD50 (Lethal Dose 50%) OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	 IMO (International Maritime Organisation)	
OECD (Organisation for Economic Co-operation and Development) OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	LC50 (Lethal Concentration 50%)	
OSHA (Occupational Safety and Health Administration) (US) PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	LD50 (Lethal Dose 50%)	
PBT (Persistent, Bioaccumulative and Toxic) PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	OECD (Organisation for Economic Co-operation and Development)	
PNEC (Predicted No Effect Concentration) STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	OSHA (Occupational Safety and Health Administration) (US)	
STEL (Short Term Exposure Limit) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	PBT (Persistent, Bioaccumulative and Toxic)	
TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average)	PNEC (Predicted No Effect Concentration)	
TWA (Time Weighted Average)	STEL (Short Term Exposure Limit)	
, , , ,	TSCA (Toxic Substances Control Act) (US)	
I No (A) when a profit and by the I lated Nettons Committee of Five arts on the Transport of	TWA (Time Weighted Average)	
Dangerous Goods)	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)	
vPvB (very Persistent and very Bioaccumulative)	vPvB (very Persistent and very Bioaccumulative)	

NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.


NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as

concrete, stone, and sand.

NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 1 Slight Hazard - Materials that are normally

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Indication of changes:

Section	Changed item	Change	Comments
1	Identification	Modified	
12.	Ecological information	Modified	
15	Regulatory information	Modified	

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.

10/05/2020 EN (English US) 7/7