

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/4/2013 Revision date: 3/18/2021 Supersedes: 10/5/2020 Version: 4.3

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : HYPO-CHLOR® 5.25% Product code : SDS HC-98-01

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Disinfectant/Cleaning agent

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR)

20 Cope Dr.

Kanata, ON K2M 2V8, Canada Telephone: (888)595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free)

Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Corrosive to metals Category 1 H290 May be corrosive to metals
Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage
Hazardous to the aquatic environment - Acute Hazard Category 1 H400 Very toxic to aquatic life

Hazardous to the aquatic environment - Chronic Hazard Category 2 H411 Toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

Safety Data Sheet

Precautionary statements (GHS US)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

: P234 - Keep only in original container.

P264 - Wash hands thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear eye protection; protective gloves; protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P390 - Absorb spillage to prevent material-damage.

P391 - Collect spillage.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hypochlorite	CAS-No.: 7681-52-9	4.0 - 6.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

(show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms

develop obtain medical attention.

Remove affected clothing and wash all exposed skin area with mild soap and water followed by

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water (for at least 15 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention.

First-aid measures after ingestion

: Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Obtain immediate medical attention.

3/18/2021 (Revision date) EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Ingestion may cause irritation of the gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Not combustible. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Hazardous decomposition products in case of fire : In case of fire product can release: Chlorine. Oxygen.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate area. Avoid inhalation of vapors. Do not get in eyes, on skin, or on clothing. Evacuate

unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use chemically protective clothing.

Emergency procedures : Ventilate area. Avoid inhalation of vapors. Do not get in eyes, on skin, or on clothing.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

3/18/2021 (Revision date) EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapor. Avoid inhalation of

vapors. Do not get in eyes, on skin, or on clothing. Wear suitable protective clothing, gloves and

eye or face protection.

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial

hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all contaminated

clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container or corrosive resistant and/or lined container. Keep in a cool, well-

ventilated place. Keep away from : Acids, Incompatible materials. Keep container closed when

not in use. Store locked up.

Incompatible materials : Acids. Alkalis. Water-reactive materials. Organic solvents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide good ventilation in process area to prevent formation of vapor. Emergency eye wash

fountains and safety showers should be available in the immediate vicinity of any potential

exposure.

Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear suitable protective clothing.

Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Wear suitable working clothes

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless to straw-colored liquid.

Color : Colorless to straw yellow

Odor : Chlorine

Odor threshold : No data available

pH : 11 – 13

Melting point : Not applicable
Freezing point : No data available
Boiling point : 212 °F (100 °C)
Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : 1.05 – 1.09 (Water = 1)

Solubility : Water: Miscible : No data available Log Pow Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : Not applicable Explosive properties Not applicable. Oxidizing properties Slightly oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Slowly decomposes on contact with air.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas (chlorine).

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Acids. Alkalis. Water-reactive materials. Organic solvents.

10.6. Hazardous decomposition products

Chlorine. Oxygen.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LD50 oral, rat	8830 mg/kg (12.5% Aqueous solution)
LD50 dermal, rabbit	> 20000 mg/kg (12.5% Aqueous solution)

Skin corrosion/irritation : Causes skin irritation.

In vitro tests found the product to be non-corrosive (OECD 435 method)

pH: 11 - 13

Serious eye damage/irritation : Causes serious eye damage.

pH: 11 – 13
: Not classified
: Not classified
: Not classified
: Not classified

: Not classified

Sodium hypochlorite (7681-52-9)

Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity

Reproductive toxicity

STOT-single exposure

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Ingestion may cause irritation of the gastrointestinal tract.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Sodium hypochlorite (7681-52-9)	
LC50 fish	0.06 mg/l - 96 Hours (freshwater fish)
EC50 Daphnia	0.141 mg/l - 48 Hours (Daphnia magna)
LC50 fish 2	0.032 mg/l - 96 Hours (marine water fish)
NOEC chronic fish	0.04 mg/l - 28 days (Menidia peninsulae)
NOEC chronic crustacea	0.007 mg/l - 15 days (estimated)

12.2. Persistence and degradability

Sodium hypochlorite (7681-52-9)	
Persistence and degradability	Not relevant for inorganic substances.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

HYPO-CHLOR® 5.25%		
Bioaccumulative potential	Low bioaccumulation potential.	
Sodium hypochlorite (7681-52-9)		
Log Pow	-3.42 (20 °C, pH 12.5, Quantitative structure-activity relationship (QSAR))	

12.4. Mobility in soil

HYPO-CHLOR® 5.25%	
Ecology - soil	Very mobile.
Sodium hypochlorite (7681-52-9)	
Ecology - soil Miscible with water.	

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with Department of Transport / Transportation of Dangerous Goods / IMDG / IATA

14.1. UN number

DOT NA NO : UN1791 UN-No. (TDG) : UN1791 UN-No. (IMDG) : 1791 UN-No. (IATA) : 1791

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Hypochlorite solutions
Proper Shipping Name (TDG) : HYPOCHLORITE SOLUTION
Proper Shipping Name (IMDG) : HYPOCHLORITE SOLUTION
Proper Shipping Name (IATA) : Hypochlorite solution

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (DOT) : III
Packing group (TDG) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1791

DOT Special Provisions (49 CFR 172.102) : IB3, N34, T4, TP2, TP24

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : B
DOT Vessel Stowage Other : 26

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

UN-No. (TDG) : UN1791 Excepted quantities (TDG) : E1 Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 154

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

HYPO-CHLOR® 5.25%	
	Physical hazard - Corrosive to metals Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation

This chemical is a pesticide product registered by the United States Environmental Protection Agency (Registration no. 68959-5) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is: WARNING/AVERTISSEMENT/ADVERTENCIA. The pesticide label also includes other important information, including directions for use.

Sodium hypochlorite (7681-52-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 100 lb

15.2. International regulations

CANADA

HYPO-CHLOR® 5.25%

In Canada, this product is a drug product registered with Health Canada. Canada DIN #02349159.

Sodium hypochlorite (7681-52-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Sodium hypochlorite(7681-52-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 03/18/2021

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Other information : Marine Pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5lt or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids are not subject to any other provisions of this Code relevant to

packaging of 5kg or less for solids are not subject to any other provisions of this Code relevant to marine pollutants provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria of inclusion in another hazards class all provisions of the Code relevant to any additional hazards continue to

apply.

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Abbreviation	bbreviations and acronyms	
	ACGIH (American Conference of Government Industrial Hygienists)	
	ATE (Acute Toxicity Estimate)	
	CAS (Chemical Abstracts Service) number	
	DNEL (Derived No Effect Level)	
	EC50 (Effective Concentration 50%)	
	IARC (International Agency for Research on Cancer)	
	IATA (International Air Transport Association)	
	IMDG (International Maritime Dangerous Goods Code)	
	IMO (International Maritime Organisation)	
	LC50 (Lethal Concentration 50%)	
	LD50 (Lethal Dose 50%)	
	OECD (Organisation for Economic Co-operation and Development)	
	OSHA (Occupational Safety and Health Administration) (US)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviatio	Abbreviations and acronyms		
	PBT (Persistent, Bioaccumulative and Toxic)		
	PNEC (Predicted No Effect Concentration)		
	STEL (Short Term Exposure Limit)		
	TSCA (Toxic Substances Control Act) (US)		
	TWA (Time Weighted Average)		
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)		
	vPvB (very Persistent and very Bioaccumulative)		


NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and

na.

NFPA reactivity : 1 - Materials that in themselves are normally stable but can become

unstable at elevated temperatures and pressures.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous

polymerization in the absence of inhibitors.

Indication of changes:			
Section	Changed item	Change	Comments
5	Fire fighting measures	Modified	
10	Stability and reactivity	Modified	

Safety Data Sheet (SDS), USA

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.