



# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VELTEK ASSOCIATES, INC.

Date of issue: 10/25/2011

Revision date: 04/24/2018

Supersedes: 01/26/2017

Version: 4.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : Cage2Wash N  
 Product code : SDS VEL-032

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Neutralizing agent  
 For professional use only

#### 1.3. Supplier

Veltek Associates, Inc.  
 15 Lee Blvd  
 Malvern, PA 19355-1234 USA  
 Telephone: +1 610-644-8335 - Fax: +1 610-644-8336  
 E-mail: vai@sterile.com

In Canada distributed by:  
 Canada Clean Room (CCR)  
 20 Cope Dr.  
 Kanata, ON K2M 2V8, Canada  
 Telephone: (888)595-8070

#### 1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061  
 1-866-928-0789 (toll free)  
 Canada: 1-800-579-7421 (toll free)  
 Mexico: +52-55-5004-8763

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Corrosive to metals Category 1	H290	May be corrosive to metals
Skin corrosion/irritation Category 1A	H314	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) :

P234 - Keep only in original container.  
 P260 - Do not breathe vapors.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a doctor, a POISON CENTER  
P363 - Wash contaminated clothing before reuse.  
P390 - Absorb spillage to prevent material-damage.  
P405 - Store locked up.  
P406 - Store in corrosive resistant container with a resistant inner liner.  
P501 - Dispose of contents/container to an authorized waste collection point

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Sodium hydroxide	(CAS-No.) 1310-73-2	40 - 60	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.

First-aid measures after skin contact : Immediately remove contaminated clothing or footwear. Rinse skin with plenty of water or shower. Get immediate medical advice/attention.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Do not give an unconscious person anything to drink. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Causes burns.

Symptoms/effects after eye contact : Corrosive to eyes.

Symptoms/effects after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Not combustible.

Reactivity : Stable under normal conditions.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use chemically protective clothing. Wear suitable protective clothing and eye or face protection.

Emergency procedures : Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not breathe vapors.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Large spills: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Wash spill area with soapy water. Dike far ahead of liquid spill for later disposal.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapor. Do not get in eyes, on skin, or on clothing. Do not breathe vapors. Wear suitable protective clothing, gloves and eye or face protection.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Incompatible materials : Acids. Metals. Oxidizing agents. Organic materials. Phosphorus.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium hydroxide (1310-73-2)		
ACGIH	Local name	Sodium hydroxide
ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

##### Eye protection:

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety glasses with face shield

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Thermal hazard protection:

Not required for normal conditions of use.

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear to opaque.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
pH	: 13.5 - 14.1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 230 - 291.2 °F
Flash point	: Not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 13 - 135 mm Hg (60°C)
Relative vapor density at 20 °C	: No data available
Relative density	: 1.45 - 1.55 (Water = 1)
Solubility	: Miscible with water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Can react violently with acids.

### 10.4. Conditions to avoid

Freezing.

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Acids. metals. Oxidizing agents. Organic materials. Phosphorus.

### 10.6. Hazardous decomposition products

Sodium oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13.5 - 14.1
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.5 - 14.1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Causes burns.
Symptoms/effects after eye contact	: Corrosive to eyes.
Symptoms/effects after ingestion	: Severe irritation or burns to the mouth, throat, esophagus, and stomach.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not classified.

#### Sodium hydroxide (1310-73-2)

LC50 fish	196 mg/l 96 Hours
EC50 Daphnia	40.4 mg/l 48 Hours (crustacea)
LC50 fish 2	125 mg/l 96 Hours (Gambusia affinis)
EC50 Daphnia 2	34.59 - 47.13 mg/l 48 Hours (Ceriodaphnia dubia)

### 12.2. Persistence and degradability

#### Cage2Wash N

Persistence and degradability	No data available.
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

#### Cage2Wash N

Bioaccumulative potential	No data available.
---------------------------	--------------------

### 12.4. Mobility in soil

#### Cage2Wash N

Ecology - soil	Miscible with water.
----------------	----------------------

### 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.  
GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

- Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Handle empty containers with care.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

- Transport document description : UN1824 Sodium hydroxide solution, 8, II  
UN-No.(DOT) : UN1824  
Proper Shipping Name (DOT) : Sodium hydroxide solution  
Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Packing group (DOT) : II - Medium Danger  
Hazard labels (DOT) : 8 - Corrosive



- DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT Special Provisions (49 CFR 172.102) : B2, IB2, N34, T7, TP2  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L  
DOT Vessel Stowage Location : A  
DOT Vessel Stowage Other : 52  
Emergency Response Guide (ERG) Number : 154  
Other information : No supplementary information available.  
Special transport precautions : No special precautions required.

#### Transportation of Dangerous Goods

- Transport document description : UN1824 SODIUM HYDROXIDE SOLUTION, 8, II  
UN-No. (TDG) : UN1824  
Proper Shipping Name (Transportation of Dangerous Goods) : SODIUM HYDROXIDE SOLUTION  
TDG Primary Hazard Classes : 8 - Class 8 - Corrosives  
Packing group : II - Medium Danger

#### Transport by sea

- Transport document description (IMDG) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II  
UN-No. (IMDG) : 1824  
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION  
Class (IMDG) : 8 - Corrosive substances  
Packing group (IMDG) : II - substances presenting medium danger

#### Air transport

- Transport document description (IATA) : UN 1824 Sodium hydroxide solution, 8, II  
UN-No. (IATA) : 1824  
Proper Shipping Name (IATA) : Sodium hydroxide solution  
Class (IATA) : 8 - Corrosives

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA) : II - Medium Danger

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Cage2Wash N

SARA Section 311/312 Hazard Classes	Physical hazard - Corrosive to metals Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation
-------------------------------------	---

##### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 1000 lb

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

##### Sodium hydroxide (1310-73-2)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### SECTION 16: Other information

Revision date : 04/24/2018  
Data sources : US OSHA HazCom (GHS) 25 May 2012.  
Other information : None.


Full text of H-phrases:

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes:

Section	Changed item	Change	Comments
1		Modified	
2		Modified	
3		Modified	

# Cage2Wash N

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4		Modified	
6		Modified	
7		Modified	
11		Modified	
16		Modified	

SDS US (GHS HazCom 2012)

*Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.*