

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/24/2011 Revision date: 7/29/2021 Supersedes: 11/23/2018 Version: 5.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : DECON-AHOL® Aerosol Product code : SDS VEL-104-AEROSOL

1.2. Recommended use and restrictions on use

Restrictions on use : For professional use only

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR)

20 Cope Dr.

Kanata, ON K2M 2V8, Canada Telephone: (888)595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free)

Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Simple Asphyxiant SIAS

Flammable aerosol Category 1 H222 Extremely flammable aerosol
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 May cause drowsiness or dizziness

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : May displace oxygen and cause rapid suffocation

H222 - Extremely flammable aerosol H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing vapors.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call doctor if you feel unwell.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : No additional information available.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Propan-2-ol	CAS-No.: 67-63-0	68 - 72	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Nitrogen	CAS-No.: 7727-37-9	< 1	Simple Asphy, SIAS

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

_

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- : Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
- : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If symptoms develop, obtain medical attention.
- : Rinse cautiously with water for several minutes. Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

7/29/2021 (Revision date) EN (English US) 2/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion : Do NOT induce vomiting. Do not give an unconscious person anything to drink. Rinse mouth.

Give 100 - 200 ml of water to drink. Get immediate medical attention. If symptoms develop,

obtain medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness. Headache. Fatigue. Nausea. Vomiting. Nitrogen: In high

concentrations may cause asphyxiation.

Symptoms/effects after skin contact : Repeated and/or prolonged skin contact may cause irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Ingestion may cause irritation of the gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Alcohol resistant foam.

Unsuitable extinguishing media : Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol. Vapors are heavier than air and may travel considerable distance

to an ignition source and flash back to source of vapors.

Explosion hazard : May form flammable/explosive vapor-air mixture. Pressurized container: may burst if heated.

Hazardous decomposition products in case of fire : In case of fire product can release: Carbon monoxide. Carbon dioxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Move containers from fire area if you can do it without risk. Use water spray or fog for cooling

exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water

from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Remove all sources of ignition. Ventilate area. Avoid inhalation of vapors. Avoid contact with

skin, eyes and clothing. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. See Section 8.

Emergency procedures : Remove all sources of ignition. Use only non-sparking tools. Ventilate area. Avoid inhalation of

vapors. Avoid contact with eyes, skin and clothing.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Dam up the liquid spill.

Methods for cleaning up : Use non-sparking tools. Absorb with earth, sand or other non-combustible material and transfer

to containers for later disposal.

7/29/2021 (Revision date) EN (English US) 3/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Handle empty containers with care because residual vapors are flammable.
- : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Pressurized container: may burst if heated. Take precautionary measures against static discharge. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Use only non-sparking tools. The vapor is heavier than air, spreads along the ground and distant ignition is possible. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapors. Avoid contact with skin, eyes and clothing.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be followed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Always keep container in upright position. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Have appropriate fire extinguishers and spill cleanup equipment in or near storage area. Stored containers should be periodically checked for general condition and leakage.

Incompatible materials

: Strong acids. Strong alkalis. Oxidizing agents. Combustible materials. Halogens. Peroxides. Metallic salts.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Nitrogen (7727-37-9)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Nitrogen	
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant	
Regulatory reference	ACGIH 2021	
Propan-2-ol (67-63-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Propanol	
ACGIH TWA (ppm)	200 ppm	
ACGIH STEL (ppm)	400 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2021	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propan-2-ol (67-63-0)		
USA - ACGIH - Biological Exposure Indices		
Local name	2-PROPANOL	
BEI (BLV)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OSHA PEL (TWA) (mg/m³)	980 mg/m³	
OSHA PEL (TWA) [2]	400 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide good ventilation in process area to prevent formation of vapor. Ensure exposure is below

occupational exposure limits (where available). Local exhaust ventilation (LEV) may be required to control inhalation exposure. Emergency eye wash fountains should be available in the

immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Long-sleeved protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. If case of insufficient oxygen, thoroughly ventilate the area or wear self-contained breathing apparatus

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : aerosol. Clear.
Color : Colorless
Odor : Slight alcohol

7/29/2021 (Revision date) EN (English US) 5/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold : No data available

pH : 5.5 - 7.5

Melting point : No data available
Freezing point : No data available
Boiling point : 180.5 °F (82.5 °C)
Flash point : 69.8 °F (21 °C)
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

Vapor pressure : 3.7 – 4.1 @ 68°F (Propan-2-ol)

Relative vapor density at 20 °C : 1.6 (Air = 1)

Relative density : 0.84 – 0.87

Solubility : Water: Miscible

Log Pow : No data available

Auto-ignition temperature : 750.2 °F (399 °C)

Decomposition temperature : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 2.1 cP @ 77°F (Propan-2-ol)

Explosion limits : 2.5 - 12 vol %

Explosive properties : Pressurized container: may burst if heated. Vapors may form explosive mixture with air.

Oxidizing properties : Not oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7). Extremely flammable aerosol.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

May form flammable/explosive vapor-air mixtures. Containers may rupture when heated.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Halogens. Peroxides. Metallic salts.

10.6. Hazardous decomposition products

In case of fire product can release: Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propan-2-ol (67-63-0)	
LD50 oral, rat	5840 mg/kg (OECD 401 method)
LD50 dermal, rabbit	16.4 ml/kg (OECD 402 method)
LC50 inhalation, rat (ppm)	> 10000 ppm - 6 Hours (OECD 403 method)
Skin corrosion/irritation	: Not classified pH: 5.5 – 7.5
Serious eye damage/irritation	: Causes serious eye irritation. pH: 5.5 – 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and	: Causes serious eye irritation. Repeated or prolonged contact may cause skin irritation. Ingestio
symptoms	may cause irritation of the gastrointestinal tract. May cause drowsiness or dizziness. Headache
	Fatigue. Nausea. Vomiting. Nitrogen: In high concentrations may cause asphyxiation.

SECTION 12: Ecological information

12.1. Toxicity

Propan-2-ol (67-63-0)	
LC50 fish	9640 – 10000 mg/l - 96 Hours (Pimephales promelas), (OECD 203 method)
EC50 Daphnia	> 10000 mg/l - 24 Hours (Daphnia magna, Mobility), (OECD 202 method)
NOEC chronic algae	1800 mg/l - 7 days (Scenedesmus quadricauda)

12.2. Persistence and degradability

DECON-AHOL® Aerosol	
Persistence and degradability	Rapidly degradable.
Propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	1.19 g O2/g substance - 5 days (Test method EU C.5)
Chemical oxygen demand (COD)	2.23 g O2/g substance (Test method EU C.6)
Biodegradation	53 % - 5 days

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

DECON-AHOL® Aerosol		
Bioaccumulative potential	Low bioaccumulation potential.	
Propan-2-ol (67-63-0)		
Bioconcentration factor (BCF REACH)	3	
Log Pow	0.05 (25°C)	
Bioaccumulative potential	Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.	

12.4. Mobility in soil

DECON-AHOL® Aerosol	
Ecology - soil Very mobile.	
Propan-2-ol (67-63-0)	
Ecology - soil	Miscible with water.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty containers should

be taken to an approved waste handling site for recycling or disposal.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with Department of Transport / Transportation of Dangerous Goods / IMDG / IATA

14.1. UN number

DOT NA NO : UN1950 UN-No. (TDG) : UN1950 UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols
Proper Shipping Name (TDG) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 2.1 Hazard labels (DOT) : 2.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



TDG

Transport hazard class(es) (TDG) : 2.1 Hazard labels (TDG) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1 Hazard labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1 Hazard labels (IATA) : 2.1



14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

: 150 kg

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1950
DOT Special Provisions (49 CFR 172.102) : N82
DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Quantity Limitations Passenger aircraft/rail (49 : 75 kg

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

CFR 173.27)

DOT Vessel Stowage Location : A

DOT Vessel Stowage Other : 25, 87,126

TDG

UN-No. (TDG) : UN1950

7/29/2021 (Revision date) EN (English US) 9/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions : 80, 107
Explosive Limit and Limited Quantity Index : 1 L
Excepted quantities (TDG) : E0
Passenger Carrying Road Vehicle or Passenger : 75 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 126

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DECON-AHOL® Aerosol	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Serious eye damage or eye irritation Health hazard - Specific target organ toxicity (single or repeated exposure)

This chemical is a pesticide product registered by the United States Environmental Protection Agency (68959-4) and is subject to certain labeling requirements under federal pesticide law

These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals

The hazard information required on the pesticide label is KEEP OUT OF REACH OF CHILDREN, DANGER PELIGRO.

The pesticide label also includes other important information, including directions for use

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Propan-2-ol CAS-No. 67-63-0 68 - 72%

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Health hazard - Simple asphyxiant

Propan-2-ol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

DECON-AHOL® Aerosol

In Canada, this product is a drug product registered with Health Canada. Canada DIN #023512382.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propan-2-ol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Propan-2-ol(67-63-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Nitrogen(7727-37-9)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date : 07/29/2021

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Other information : None.

Full text of H-phrases	
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Abbreviations and acronyms	
ACC	GIH (American Conference of Government Industrial Hygienists)
ATE	E (Acute Toxicity Estimate)
CAS	S (Chemical Abstracts Service) number
EC5	50 (Effective Concentration 50%)
IAR	C (International Agency for Research on Cancer)
IAT	A (International Air Transport Association)
IMD	OG (International Maritime Dangerous Goods Code)
IMC	O (International Maritime Organisation)
LC5	50 (Lethal Concentration 50%)
LD5	50 (Lethal Dose 50%)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms			
	OECD (Organisation for Economic Co-operation and Development)		
	OEL (Occupational exposure limit)		
	STEL (Short Term Exposure Limit)		
	TWA (Time Weighted Average)		
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)		

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary


incapacitation or residual injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can

be ignited under almost all ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below

73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes:				
Section	Changed item	Change	Comments	
1	Identification	Modified		
2	Hazards identification	Modified		
3	Composition/Information on ingredients	Modified		
4	First aid measures	Modified		
5	Fire fighting measures	Modified		
6	Accidental release measures	Modified		
7	Handling and storage	Modified		
8	Exposure controls / Personal protection equipment	Modified		
9	Physical and chemical properties	Modified		
10	Stability and reactivity	Modified		
11	Toxicological information	Modified		
12.	Ecological information	Modified		
14	Transport information	Modified		
15	Regulatory information	Modified		
16	Other information	Modified		

Safety Data Sheet (SDS), USA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.