

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VELTEK ASSOCIATES, INC. Date of issue: 11/29/2018 Revision date: 01/06/2020 Supersedes: 11/29/2018 Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : DECON-QUAT 200C (Use-Dilution)

Product code : SDS VEL-140

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Disinfectant

Cleaning agent

For manufacturing and industrial use only

For professional use only

1.3. Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR)

20 Cope Dr.

Kanata, ON K2M 2V8, Canada Telephone: (888)595-8070

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free) Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Hazardous to the aquatic environment - Acute Hazard Category 3 H402 Harmful to aquatic life

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard statements (GHS US) : H402 - Harmful to aquatic life

Precautionary statements (GHS US) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to an authorized waste collection point

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

01/06/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Didecyldimethylammonium chloride	(CAS-No.) 7173-51-5	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	(CAS-No.) 68424-85-1	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400
Ethanol	(CAS-No.) 64-17-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If

symptoms develop, obtain medical attention. : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If

First-aid measures after skin contact symptoms develop, obtain medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If symptoms develop, obtain medical attention.

: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse First-aid measures after ingestion mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.

Most important symptoms and effects (acute and delayed)

4.2. Potential Adverse human health effects and

symptoms

: May cause slight irritation to the skin. May cause slight irritation to eyes.

Immediate medical attention and special treatment, if necessary 4.3.

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

Specific hazards arising from the chemical

: Not flammable. Fire hazard

5.3. Special protective equipment and precautions for fire-fighters

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Ventilate area. Avoid inhalation of vapors. Avoid contact with skin and eyes. Evacuate **Emergency procedures**

unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use chemically protective clothing.

: Ventilate area. Avoid inhalation of vapors. Avoid contact with skin and eyes. **Emergency procedures**

Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

: Dike far ahead of liquid spill for later disposal. Absorb with earth, sand or other non-combustible Methods for cleaning up material and transfer to containers for later disposal. Store away from other materials.

01/06/2020 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapor. Avoid inhalation of

vapors. Avoid contact with skin, eyes and clothing.

Hygiene measures

: Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep container tightly closed. Protect material from direct sunlight.

Incompatible materials

: Strong acids. Strong alkalis. Strong oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH STEL (ppm)	1000 ppm
Remark (ACGIH)	URT irr
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Lir	its
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA PEL (TWA) (ppm)	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Provide good ventilation in process area to prevent formation of vapor.
- Environmental exposure controls
- : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Not required for normal conditions of use

Eye protection:

Not required for normal conditions of use

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

Not required for normal conditions of use

01/06/2020 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Color : Colorless
Odor : Slight. Organic
Odor threshold : No data available

pH : 6-8

: No data available Melting point ≈ 0 °C (32 °F) Freezing point : ≈ 100 °C (212 °F) Boiling point Flash point Not flammable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density ≈ 1 (Water = 1) : ≈ 1 g/cm³ Specific gravity / density Solubility : Water: Miscible Log Pow No data available Auto-ignition temperature : Not flammable Decomposition temperature No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties : Not explosive. : Not oxidizing. Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight. Freezing.

10.5. Incompatible materials

Strong oxidizing agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

01/06/2020 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

DECON-QUAT 200C (Use-Dilution)	
LD50 oral, rat	> 5000 ml/kg
LD50 dermal, rabbit	> 2000 mg/kg body weight

Didecyldimethylammonium chloride (7173-51-5)LD50 oral, rat329 mg/kgLD50 dermal, rabbit> 1000 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LD50 oral, rat

426 mg/kg

 Ethanol (64-17-5)

 LD50 oral, rat
 10470 mg/kg

 LC50 inhalation, rat (mg/l)
 117 - 125 mg/l - 4 Hours

Skin corrosion/irritation : Not classified pH: 6 - 8

Serious eye damage/irritation : Not classified pH: 6 - 8
Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: May cause slight irritation to the skin. May cause slight irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Not classified

Didecyldimethylammonium chloride (7173-51-5)	
LC50 fish	0.49 mg/l - 96 Hours (Danio rerio)
EC50 Daphnia	0.029 mg/l - 48 Hours (Daphnia magna)
NOEC (chronic)	0.021 mg/l - 21 days (Daphnia magna)

Ethanol (64-17-5)	
LC50 fish	11200 mg/l (calculated value)
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)
EC50 Daphnia 2	857 mg/l (calculated value) (marine water)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Bioconcentration factor (BCF REACH)	3

01/06/2020 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

DECON-QUAT 200C (Use-Dilution)	
Mobility in soil	Miscible with water

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Special transport precautions : DO NOT TRANSPORT - This dilution of product is an on-site dilution in water by the user

according to product label directions. It is not supplied nor transported in commerce at this dilution. This dilution is classified as dangerous for transport. Details of this transport classification have not been provided, as the diluted form of this product shall not be

transported. For transport and hazards of the undiluted product concentrate before mixing, see

SDS VEL-110.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Didecyldimethylammonium chloride (7173-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethanol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

01/06/2020 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DECON-QUAT 200C (Use-Dilution)

This chemical is a pesticide product registered by the United States Environmental Protection Agency (10324-141-68959) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below in Section 16. The pesticide label also includes other important information, including directions for use. Canada DIN #02374919.

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date : 01/06/2020

: US OSHA HazCom (GHS) 25 May 2012. Data sources

Other information This document applies to the use dilution of this product after mixing according to label

directions. For transport and hazards of the undiluted product concentrate before mixing, see

SDS VEL-110.

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects

Abbreviations and acronyms:

ACGIH (American Conference of Government Industrial Hygienists)
ATE (Acute Toxicity Estimate)
CAS (Chemical Abstracts Service) number
DNEL (Derived No Effect Level)
EC50 (Effective Concentration 50%)
IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods Code)
IMO (International Maritime Organisation)
LC50 (Lethal Concentration 50%)
LD50 (Lethal Dose 50%)
OECD (Organisation for Economic Co-operation and Development)
OSHA (Occupational Safety and Health Administration) (US)
PBT (Persistent, Bioaccumulative and Toxic)
PNEC (Predicted No Effect Concentration)

01/06/2020 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	STEL (Short Term Exposure Limit)
	TSCA (Toxic Substances Control Act) (US)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
	vPvB (very Persistent and very Bioaccumulative)
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.

01/06/2020 EN (English US) 8/8