



HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

VELTEK ASSOCIATES, INC.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 4/24/2015 Revision date: 10/10/2024 Supersedes: 9/16/2021 Version: 3.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : HYPO-CHLOR® 0.52% WIPE
Product code : SDS VEL-130

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cleaning wipe
For professional use only

1.3. Supplier

Veltek Associates, Inc.
15 Lee Blvd
Malvern, PA 19355-1234 USA
Telephone: +1 610-644-8335 - Fax: +1 610-644-8336
E-mail: vai@sterile.com

In Canada distributed by:
Canada Clean Room (CCR)
20 Cope Dr.
Kanata, ON K2M 2V8, Canada
Telephone: 1-(888)-595-8070

Fisher Scientific
112 Colonnade Road
Ottawa, Ontario, Canada K2E 7L6
Telephone: 1-800-234-7437

VWR International
2360 Argentia Road
Mississauga, Ontario L5N 5Z7
Telephone: 1-800-932-5000

1.4. Emergency telephone number

Emergency number : CARECHEM 24: 1-215-207-0061
1-866-928-0789 (toll free USA)
Canada: 1-800-579-7421 (toll free)
Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Corrosive to metals Category 1	H290	May be corrosive to metals
Hazardous to the aquatic environment – Acute Hazard Category 2	H401	Toxic to aquatic life
Hazardous to the aquatic environment – Chronic Hazard Category 3	H412	Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

:



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H290 - May be corrosive to metals

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US)

: P234 - Keep only in original container.

P273 - Avoid release to the environment.

P390 - Absorb spillage to prevent material-damage.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hypochlorite	CAS-No.: 7681-52-9	0.40 - 0.65	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.

First-aid measures after ingestion

: Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. If symptoms develop, obtain medical attention.

HYPO-CHLOR[®] 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.
Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Avoid inhalation of vapors. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. See Section 8.
Emergency procedures : Avoid contact with skin and eyes. Avoid inhalation of vapors.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Store in corrosive resistant container with a resistant inner liner. Store away from other materials.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapors.

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Acids. Store in corrosive resistant container with a resistant inner liner.
Incompatible materials : Acids. Water-reactive materials. Steel.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation.
Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.
Eye protection:
Wear goggles or safety glasses with side shields if contact with the eyes is possible
Skin and body protection:
Long sleeved clothing
Respiratory protection:
Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Impregnated wipe.
Color : Colorless to straw-colored liquid, white fabric
Odor : Chlorine-like
Odor threshold : No data available
pH : 10.5 – 12.4 (Liquid)

HYPO-CHLOR[®] 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 212 °F (100 °C)(Liquid)
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1 – 1.07 (Liquid) (Water = 1)
Solubility	: Water: Liquid: Miscible. Wipes: Insoluble
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Slowly decomposes on contact with air.

10.3. Possibility of hazardous reactions

May produce small amounts of chlorine gas if mixed with incompatible materials.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Acids. Water-reactive materials. Steel.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. May produce small amounts of chlorine gas if mixed with incompatible materials.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Sodium hypochlorite (7681-52-9)

LD50 oral, rat	8800 mg/kg Source: ECHA
----------------	-------------------------

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hypochlorite (7681-52-9)	
LD50 dermal, rabbit	> 20000 mg/kg (12.5% Aqueous solution)
LC50 inhalation, rat (Vapors - mg/l/4h)	> 10.5 mg/l
ATE US (oral)	8800 mg/kg body weight

Skin corrosion/irritation : Not classified
pH: 10.5 – 12.4 (Liquid)

Sodium hypochlorite (7681-52-9)	
pH	11

Serious eye damage/irritation : Not classified
pH: 10.5 – 12.4 (Liquid)

Sodium hypochlorite (7681-52-9)	
pH	11

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Sodium hypochlorite (7681-52-9)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Sodium hypochlorite (7681-52-9)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Potential Adverse human health effects and symptoms : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Sodium hypochlorite (7681-52-9)	
LC50 fish	0.033 – 0.097 mg/l Source: International Uniform Chemical Information Database
EC50 Daphnia	0.141 mg/l - 48 Hours (Daphnia magna)
LC50 fish 2	0.032 mg/l - 96 Hours (marine water fish)
EC50 - Crustacea [2]	35 µg/l - 48 Hours (Ceriodaphnia dubia)
ErC50 algae	0.0499 mg/l - 72 Hours (Freshwater)
NOEC chronic fish	0.04 mg/l - 28 days (Menidia peninsulae)
NOEC chronic crustacea	0.007 mg/l - 15 days (estimated)

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

HYPO-CHLOR® 0.52% WIPE

Persistence and degradability	Not established.
-------------------------------	------------------

Sodium hypochlorite (7681-52-9)

Persistence and degradability	Not relevant for inorganic substances.
-------------------------------	--

12.3. Bioaccumulative potential

Sodium hypochlorite (7681-52-9)

Log Pow	-3.42 (20 °C, pH 12.5, Quantitative structure-activity relationship (QSAR))
---------	---

12.4. Mobility in soil

Sodium hypochlorite (7681-52-9)

Ecology - soil	Miscible with water.
----------------	----------------------

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Manage wipes in accordance with applicable regulatory requirements.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA No	: UN3244
UN-No. (TDG)	: UN3244
UN-No. (IMDG)	: UN3244
UN-No. (IATA)	: UN3244

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Solids containing corrosive liquid, n.o.s. (Sodium hypochlorite)
Proper Shipping Name (TDG)	: SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite)
Proper Shipping Name (IMDG)	: SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite)
Proper Shipping Name (IATA)	: Solids containing corrosive liquid, n.o.s. (Sodium hypochlorite)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: 8
Hazard labels (DOT)	: 8

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT
UN-No.(DOT) : UN3244

HYPO-CHLOR[®] 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: 49 - Mixtures of solids which are not subject to this subchapter and corrosive liquids may be transported under this entry without first applying the classification criteria of Class 8, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. IB5 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 21HZ1 and 31HZ1). T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG UN-No. (TDG)	: UN3244

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,58 - When solids that are not dangerous goods and liquids included in Class 8, Corrosives, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 8, Corrosives, first being applied, if (a) there is no free liquid visible at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and (b) each means of containment is leakproof.
Explosive Limit and Limited Quantity Index	: 1 kg
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 15 kg
Emergency Response Guide (ERG) Number	: 154

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

HYPO-CHLOR® 0.52% WIPE

SARA Section 311/312 Hazard Classes	Physical hazard - Corrosive to metals
-------------------------------------	---------------------------------------

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Sodium hypochlorite	7681-52-9	Present	Active	

Sodium hypochlorite (7681-52-9)

CERCLA RQ	100 lb
-----------	--------

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Sodium hypochlorite (7681-52-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium hypochlorite(7681-52-9)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 10/10/2024
Data sources : US OSHA HazCom (GHS) 25 May 2012.
Other information : None.

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms	
	ACGIH (American Conference of Government Industrial Hygienists)
	CAS (Chemical Abstracts Service) number
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)


HYPO-CHLOR[®] 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms	
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	NOEC (No Observed Effect Concentration)
	OECD (Organisation for Economic Co-operation and Development)
	OSHA (Occupational Safety and Health Administration) (US)
	STEL (Short Term Exposure Limit)
	TSCA (Toxic Substances Control Act) (US)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)

- NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



- Hazard Rating
- Health : 1 Slight Hazard - Irritation or minor reversible injury possible
- Flammability : 0 Minimal Hazard - Materials that will not burn
- Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Indication of changes:			
Section	Changed item	Change	Comments
1	Recommended uses and restrictions	Modified	No additional information available
2	Hazards identification	Modified	No additional information available
4	First-aid measures after eye contact	Modified	No additional information available
5	Fire fighting measures	Modified	No additional information available
5	Fire fighting measures	Modified	No additional information available
6	Accidental release measures	Modified	No additional information available
7	Handling and storage	Modified	No additional information available
8	Protective equipment	Modified	No additional information available
9	Physical and chemical properties	Modified	No additional information available
10	Stability and reactivity	Modified	No additional information available
11	Toxicological information	Modified	No additional information available
12.	Ecological information	Modified	No additional information available
14	Transport information	Modified	No additional information available

HYPO-CHLOR® 0.52% WIPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15	Regulatory information	Modified	No additional information available
16	Other information	Modified	No additional information available

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.