



VELTEK ASSOCIATES, INC.

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Issue date: 10/14/2020 Revision date: 9/24/2025 Supersedes: 10/14/2020 Version: 1.1

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Process2Clean<sup>®</sup> 2 (Dilutions < 10%)  
Product code : SDS VEL-152

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Acidic cleaning detergent, Product for industrial use only

#### 1.4. Supplier's details

##### Supplier

Veltek Associates, Inc.  
15 Lee Blvd  
Malvern, PA 19355-1234 USA  
Telephone: +1 610-644-8335 - Fax: +1 610-644-8336  
E-mail: vai@sterile.com

In Canada distributed by:

Canada Clean Room (CCR)  
20 Cope Dr.  
Kanata, ON K2M 2V8, Canada  
Telephone: 1-(888)-595-8070

#### 1.5. Emergency phone number

Emergency number : CARECHEM 24: 1-215-207-0061  
1-866-928-0789 (toll free USA)  
Canada: 1-800-579-7421 (toll free)  
Mexico: +52-55-5004-8763

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment — Acute Hazard, Category 3	H402	Harmful to aquatic life.

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Hazard statements (GHS US)	: H315 - Causes skin irritation H318 - Causes serious eye damage H402 - Harmful to aquatic life
Precautionary statements (GHS US)	: P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water/... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container to an authorized waste collection point.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Phosphoric acid	CAS-No.: 7664-38-2	< 4	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401
Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate)	CAS-No.: 139-89-9	< 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols, C8-10, ethoxylated, propoxylated	CAS-No.: 68603-25-8	< 0.1	Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

First-aid measures after eye contact	: Rinse immediately with plenty of water (for at least 15 minutes). Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Do not give an unconscious person anything to drink. Rinse mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.

### 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms	: Causes serious eye damage. Causes skin irritation.
---	--

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Not flammable.
-------------	------------------

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures	: Ventilate area. Do not get in eyes, on skin, or on clothing. Avoid inhalation of vapors. Evacuate unnecessary personnel.
----------------------	--

#### For emergency responders

Protective equipment	: Use personal protective equipment as required. See Section 8.
Emergency procedures	: Ventilate area. Do not get in eyes, on skin, or on clothing.

Environmental precautions	: Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.
---------------------------	--

### 6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak, if possible without risk. Dam up the liquid spill.
Methods for cleaning up	: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Store away from other materials. Wash spill area with soapy water.

SECTION 8: Exposure controls/personal protection, SECTION 13: Disposal considerations

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Provide good ventilation in process area to prevent formation of vapor.
- Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including incompatibilities

- Storage conditions : Store in a dry, cool and well-ventilated place. Protect from freezing. Keep out of direct sunlight.
- Incompatible materials : Alkalis. Oxidizing agents. Metals.
- Specific end uses : Acidic cleaning detergent.

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

Phosphoric acid (7664-38-2)	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
ACGIH® TLV® STEL	3 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
VECD (OEL STEV)	3 mg/m <sup>3</sup>
VEMP (OEL TWAEV)	1 mg/m <sup>3</sup>
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

<b>Phosphoric acid (7664-38-2)</b>	
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	TLV <sup>®</sup> Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	URT, eye, & skin irr
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	TLV <sup>®</sup> Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	TLV <sup>®</sup> Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>

# Process2Clean® 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Phosphoric acid (7664-38-2)	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWAEV	1 mg/m <sup>3</sup>
OEL TWAEV	3 mg/m <sup>3</sup>
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Phosphoric acid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	3 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Provide good ventilation in process area to prevent formation of vapor. Ensure exposure is below occupational exposure limits (where available). Local exhaust ventilation (LEV) may be required to control inhalation exposure. Emergency eye wash stations should be available in the immediate vicinity of any potential exposure if required by regulation.
Environmental exposure controls	: Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Long-sleeved protective clothing

#### Thermal hazard protection:

Not required for normal conditions of use.

#### Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

### SECTION 9 Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Colorless
Odor	: Slight odor
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: 32 °F (0 °C)
Boiling point	: 212 °F (100 °C)
Flash point	: Not flammable
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Water: Miscible
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.
Particle characteristics	: No data available

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

### SECTION 10 Stability and reactivity

#### 10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Freezing.

#### 10.5. Incompatible materials

Alkalis. Oxidizing agent. Metals.

#### 10.6. Hazardous decomposition products

Fire may produce irritating, corrosive and/or toxic gases. Phosphorus oxides.

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

### SECTION 11 Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

Process2Clean <sup>®</sup> 2 (Dilutions < 10%)	
LD50 oral, rat	> 2000 mg/kg

Phosphoric acid (7664-38-2)	
LD50 oral, rat	300 – 2000 mg/kg (OECD 423 method)
ATE US (oral)	300 mg/kg body weight

Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)	
LD50 oral, rat	> 1780 – < 2000 mg/kg (OECD 401 method)
LD50 oral	1612 mg/kg (calculated value)
LC50 inhalation, rat (mg/l)	> 3.95 mg/l (OECD 403 method)
ATE US (oral)	1780 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Potential Adverse human health effects and symptoms : Causes serious eye damage. Causes skin irritation.

### SECTION 12 Ecological information

#### 12.1. Ecotoxicity

Ecology - general : Harmful to aquatic life.  
Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Phosphoric acid (7664-38-2)	
LC50 fish	pH: 3 - 3.25 (50% mortality), (96 Hours, Lepomis macrochirus)
EC50 Daphnia	> 100 mg/l - 48 Hours (Daphnia magna, immobilization), (OECD 202 method)
EC50 72h - Algae [1]	> 100 mg/l - 72 Hours (Desmodesmus subspicatus)(Growth rate)(OECD 201 method)
NOEC, algae	100 mg/l (72 Hours, Desmodesmus subspicatus, Growth rate (OECD 201 method))

# Process2Clean® 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

<b>Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)</b>	
LC50 fish	372 mg/l - 96 Hours (Pimephales promelas)
EC50 Daphnia	192 mg/l - 48 Hours (Daphnia magna)
NOEC (chronic)	≥ 25.7 mg/l - 35 days (Danio rerio) (OECD 210 method)
NOEC chronic fish	≈ 30.25 mg/l (calculated value)
NOEC chronic crustacea	≈ 25.6 mg/l (calculated value)

### 12.2. Persistence and degradability

<b>Process2Clean® 2 (Dilutions &lt; 10%)</b>	
Persistence and degradability	No data available.
<b>Phosphoric acid (7664-38-2)</b>	
Persistence and degradability	Not relevant for inorganic substances.
<b>Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)</b>	
Persistence and degradability	Not expected to be readily biodegradable.
<b>Alcohols, C8-10, ethoxylated, propoxylated (68603-25-8)</b>	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

<b>Process2Clean® 2 (Dilutions &lt; 10%)</b>	
Bioaccumulative potential	No data available.
<b>Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)</b>	
BCF - Fish [1]	3.2 l/kg (calculated value)
Bioaccumulative potential	Not expected to bioaccumulate.

### 12.4. Mobility in soil

<b>Process2Clean® 2 (Dilutions &lt; 10%)</b>	
Ecology - soil	Miscible with water.
<b>Phosphoric acid (7664-38-2)</b>	
Ecology - soil	Soluble in water.
<b>Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)</b>	
Ecology - soil	Not expected to adsorb to soil.
<b>Alcohols, C8-10, ethoxylated, propoxylated (68603-25-8)</b>	
Mobility in soil	1114 Source: EPISUITE

### 12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No
Other information	: Avoid release to the environment.

# Process2Clean® 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

### SECTION 13 Disposal considerations

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Additional information : Handle empty containers with care.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14 Transport information

In accordance with DOT

#### 14.1. UN number

UN-No. (DOT) : Not applicable

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not applicable

#### 14.3. Transport hazard class(es)

##### DOT

Transport hazard class(es) (DOT) : Not applicable

#### 14.4. Packing group

Packing group (DOT) : Not applicable

#### 14.5. Environmental hazards

Other information : Not regulated.

#### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

Special transport precautions : DO NOT TRANSPORT - This dilution of product is an on-site dilution in water by the user according to product label directions. It is not supplied nor transported in commerce at this dilution, For transport and hazards of the undiluted product concentrate before mixing, see SDS #VEL-014

##### DOT

No data available

### SECTION 15 Regulatory information

#### 15.1. Federal regulations

##### Process2Clean® 2 (Dilutions < 10%)

SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation
-------------------------------------	--

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Phosphoric acid	7664-38-2	Present	Active	

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Name	CAS-No.	Listing	Commercial status	Flags
Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate)	139-89-9	Present	Active	
Alcohols, C8-10, ethoxylated, propoxylated	68603-25-8	Present	Active	XU

### Phosphoric acid (7664-38-2)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ

5000 lb

### 15.2. International regulations

#### CANADA

#### Phosphoric acid (7664-38-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)

Listed on the Canadian DSL (Domestic Substances List)

#### Alcohols, C8-10, ethoxylated, propoxylated (68603-25-8)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

#### Phosphoric acid (7664-38-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Trisodium 2-(carboxylatomethyl(2-hydroxyethyl)amino)ethyliminodi(acetate) (139-89-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations

Component	State or local regulations
Phosphoric acid(7664-38-2)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Revision date

: 9/24/2025

Issue date

: 10/14/2020

Data sources

: NFPA 704, 2022 edition. USA - OSHA. ECHA. SDS Canada (HPR 2022).

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Full text of hazard classes and H-statements	
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H401	Toxic to aquatic life
H402	Harmful to aquatic life

Abbreviations and acronyms	
	ACGIH (American Conference of Government Industrial Hygienists)
	CAS (Chemical Abstracts Service) number
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	LOAEC (Lowest Observed Adverse Effect Concentration)
	OECD (Organisation for Economic Co-operation and Development)
	OSHA (Occupational Safety and Health Administration) (US)
	NOAEL (No Observed Adverse Effect Level)
	NOEC (No Observed Effect Concentration)
	TSCA (Toxic Substances Control Act) (US)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)

NFPA health hazard


: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

# Process2Clean<sup>®</sup> 2 (Dilutions < 10%)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and SDS Canada (HPR 2022)

Indication of changes:		
Section	Changed item	Comments
1	Identification	<b>Added</b>
2	Hazard identification	<b>Modified</b>
6	Accidental release measures	<b>Modified</b>
7	Handling and storage	<b>Modified</b>
8	Exposure controls / Personal protection equipment	<b>Removed</b>
16	Other information	<b>Modified</b>

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.