



VELTEK ASSOCIATES, INC.

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272
Issue date: 10/1/2015 Revision date: 6/25/2026 Supersedes: 3/18/2021 Version: 2.2

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : HYPO-CHLOR® 5.25% WIPE
Product code : SDS VEL-119

1.2. Other means of identification

Synonyms : WIPEDOWN 123 (1) HYPO-CHLOR® 5.25% Wipe

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Cleaning agent on fabric (white polyester)

1.4. Supplier's details

Veltek Associates, Inc.
15 Lee Blvd
Malvern, PA 19355-1234 USA
Telephone: +1 610-644-8335
E-mail: vai@sterile.com

In Canada distributed by:
Canada Clean Room (CCR)
20 Cope Dr.
Kanata, ON K2M 2V8, Canada
Telephone: 1-(888)-595-8070

1.5. Emergency phone number

Emergency number : CARECHEM 24: 1-215-207-0061
1-866-928-0789 (toll free USA)
Canada: 1-800-579-7421 (toll free)
Mexico: +52-55-5004-8763

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Corrosive to metals, Category 1	H290	May be corrosive to metals.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: H290 - May be corrosive to metals H315 - Causes skin irritation H318 - Causes serious eye damage H400 - Very toxic to aquatic life H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS US)	: P234 - Keep only in original packaging. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor. P332+P313 - If skin irritation occurs: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of an authorized waste collection point to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards which do not result in classification : Contact with acids liberates toxic gas.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hypochlorite (Note B)	CAS-No.: 7681-52-9	4 - 6.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of hazard classes and H-statements : see section 16

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If symptoms develop, obtain medical attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Ensure that folded skin of eyelids is thoroughly washed with water. Obtain immediate medical attention.
First-aid measures after ingestion	: Not an expected route of exposure. If swallowed: Do NOT induce vomiting. Obtain immediate medical attention.

4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms	: Causes skin irritation. Causes serious eye irritation. Ingestion may cause irritation of the gastrointestinal tract.
---	--

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

5.2. Specific hazards arising from the chemical

Fire hazard	: Not flammable.
Hazardous decomposition products in case of fire	: In case of fire product can release: Chlorine, oxygen.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures	: Ventilate area. Do not get in eyes, on skin, or on clothing. Evacuate unnecessary personnel.
----------------------	--

For emergency responders

Protective equipment	: Equip cleanup crew with proper protection. Use chemically protective clothing.
Emergency procedures	: Ventilate area. Do not get in eyes, on skin, or on clothing.

Environmental precautions	: Avoid release to the environment.
---------------------------	-------------------------------------

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Store in corrosive resistant container with a resistant inner liner.

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Keep away from heat.
Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Comply with applicable regulations.
Incompatible materials : Acids. Water-reactive materials. Metals. Amines.
Specific end uses : Cleaning agent on fabric (white polyester).

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation. Emergency eye wash stations should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear chemically resistant protective gloves. Hand Protection in accordance with 29 CFR 1910.138 & ANSI/ISEA 105-2016. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.
Eye protection:
Chemical goggles or safety glasses. Eye Protection in accordance with 29 CFR 1910.133 & ANSI/ISEA Z87.1-2020
Skin and body protection:
Long sleeved clothing
Respiratory protection:
Not required for normal conditions of use

Thermal hazard protection:

Not required for normal conditions of use.

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pre-saturated white polyester wiper.
Color	: Colorless to straw-colored liquid, white fabric
Odor	: Chlorine
Odor threshold	: No data available
pH	: 11 – 13
pH solution concentration	: 100
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 212 °F (100 °C)
Flash point	: Not applicable
Flammability (solid, gas)	: Not flammable Not combustible.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.05 – 1.09 (Liquid)
Solubility	: Liquid is miscible with water. Fabric is insoluble.
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Not explosive.
Oxidizing properties	: Liquid product : Slightly oxidizing.
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Sodium hypochlorite solution: Slowly decomposes on contact with air.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas (chlorine).

10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight.

10.5. Incompatible materials

Acids. Water-reactive materials. Metals. Amines.

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

10.6. Hazardous decomposition products

Chlorine. Oxygen.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium hypochlorite (7681-52-9)

LD50 oral, rat	8830 mg/kg (12.5% Aqueous solution)
LD50 dermal, rabbit	> 20000 mg/kg (12.5% Aqueous solution)
ATE US (oral)	8830 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.
In vitro tests found the product to be non-corrosive (OECD 435 method)
pH: 11 – 13

Serious eye damage/irritation : Causes serious eye damage.
pH: 11 – 13

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Sodium hypochlorite (7681-52-9)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Potential Adverse human health effects and symptoms : Causes skin irritation. Causes serious eye irritation. Ingestion may cause irritation of the gastrointestinal tract.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Sodium hypochlorite (7681-52-9)

LC50 fish	0.06 mg/l - 96 Hours (freshwater fish)
EC50 Daphnia	0.141 mg/l - 48 Hours (Daphnia magna)
LC50 fish 2	0.032 mg/l - 96 Hours (marine water fish)
EC50 - Crustacea [2]	35 mg/l - 48 Hours (Ceriodaphnia dubia)
ErC50 algae	0.0499 mg/l - 72 Hours (Freshwater)
NOEC chronic fish	0.04 mg/l - 28 days (Menidia peninsulae)

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Sodium hypochlorite (7681-52-9)

NOEC chronic crustacea	0.007 mg/l - 15 days (estimated)
------------------------	----------------------------------

12.2. Persistence and degradability

HYPO-CHLOR® 5.25% WIPE

Persistence and degradability	Liquid readily biodegradable, fabric not biodegradable.
-------------------------------	---

Sodium hypochlorite (7681-52-9)

Persistence and degradability	Not relevant for inorganic substances.
-------------------------------	--

12.3. Bioaccumulative potential

HYPO-CHLOR® 5.25% WIPE

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

Sodium hypochlorite (7681-52-9)

Log Pow	-3.42 (20 °C, pH 12.5, Quantitative structure-activity relationship (QSAR))
---------	---

12.4. Mobility in soil

HYPO-CHLOR® 5.25% WIPE

Ecology - soil	Liquid very mobile, fabric inert.
----------------	-----------------------------------

Sodium hypochlorite (7681-52-9)

Ecology - soil	Miscible with water.
----------------	----------------------

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No
Other information	: Avoid release to the environment.

SECTION 13 Disposal considerations

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Manage wipes in accordance with applicable regulatory requirements.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

UN-No. (DOT)	: UN3244
UN-No. (TDG)	: UN3244
UN-No. (IMDG)	: 3244
UN-No. (IATA)	: 3244

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Solids containing corrosive liquid, n.o.s.
Proper Shipping Name (TDG)	: SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Proper Shipping Name (IMDG) : SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite)
Proper Shipping Name (IATA) : Solids containing corrosive liquid, n.o.s. (Sodium hypochlorite)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

14.7. Special precautions for user

DOT	
UN-No. (DOT)	: UN3244
DOT Special Provisions (49 CFR 172.102)	: 49 - Mixtures of solids which are not subject to this subchapter and corrosive liquids may be transported under this entry without first applying the classification criteria of Class 8, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. IB5 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 21HZ1 and 31HZ1). T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG	
UN-No. (TDG)	: UN3244

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,58 - When solids that are not dangerous goods and liquids included in Class 8, Corrosives, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 8, Corrosives, first being applied, if (a) there is no free liquid visible at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and (b) each means of containment is leakproof.
Explosive Limit and Limited Quantity Index	: 1 kg
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 15 kg
Emergency Response Guide (ERG) Number	: 154

IMDG

EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

IATA

Special provision (IATA)	: A77
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 8L

SECTION 15 Regulatory information

15.1. Federal regulations

HYPO-CHLOR® 5.25% WIPE

SARA Section 311/312 Hazard Classes	Physical hazard - Corrosive to metals Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation
-------------------------------------	---

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Name	CAS-No.	Listing	Commercial status	Flags
Sodium hypochlorite	7681-52-9	Present	Active	

Sodium hypochlorite (7681-52-9)	
CERCLA RQ	100 lb

15.2. International regulations

CANADA

Sodium hypochlorite (7681-52-9)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Sodium hypochlorite (7681-52-9)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium hypochlorite(7681-52-9)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Revision date	: 6/25/2026
Issue date	: 10/1/2015
Data sources	: US OSHA HazCom (GHS) 25 May 2012. ECHA (European Chemicals Agency), http://echa.europa.eu/ .
Other information	: Marine Pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5lt or less for liquids or having a net mass per single or inner packaging of 5kg or less for solids are not subject to any other provisions of this Code relevant to marine pollutants provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria of inclusion in another hazards class all provisions of the Code relevant to any additional hazards continue to apply.

Full text of hazard classes and H-statements	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

Full text of hazard classes and H-statements	
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects


Abbreviations and acronyms	
	ATE (Acute Toxicity Estimate)
	CAS (Chemical Abstracts Service) number
	DNEL (Derived No Effect Level)
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	OECD (Organisation for Economic Co-operation and Development)
	STEL (Short Term Exposure Limit)
	TSCA (Toxic Substances Control Act) (US)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)

- NFPA health hazard

: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
- NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



- Hazard Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
- Flammability

: 0 Minimal Hazard - Materials that will not burn
- Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Indication of changes:		
Section	Changed item	Comments
1	Identification	Modified

HYPO-CHLOR® 5.25% WIPE

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) and according to SOR/2015-17, Hazardous Products Regulations (HPR) with its amendment Regulation SOR/2022-272

2	Hazards identification	Modified
3	Composition/Information on ingredients	Modified
4	First aid measures	Modified
5	Fire fighting measures	Modified
6	Accidental release measures	Modified
7	Handling and storage	Modified
8	Exposure controls / Personal protection equipment	Modified
9	Physical and chemical properties	Modified
10	Stability and reactivity	Modified
11	Toxicological information	Modified
12.	Ecological information	Modified
13	Disposal considerations	Modified
14	Transport information	Modified
15	Regulatory information	Modified
16	Other information	Modified

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.